


UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants



Technical Diagram:



Technical Data:

S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
01	UP-CL6-6	1 Bag (100 Pcs)	3.8	26.0	6.5	11.0
02	UP-CL6-8	1 Bag (100 Pcs)	4.0	34.5	8.5	12.0
03	UP-CL6-10	1 Bag (100 Pcs)	4.0	34.5	10.5	14.0
04	UP-CL6-12	1 Bag (100 Pcs)	4.3	38.5	12.5	17.0
05	UP-CL10-6	1 Bag (100 Pcs)	4.7	28.5	6.5	12.0
06	UP-CL10-8	1 Bag (100 Pcs)	4.7	28.5	8.5	12.0
07	UP-CL10-10	1 Bag (100 Pcs)	4.8	35.0	10.5	15.0
08	UP-CL10-12	1 Bag (100 Pcs)	4.9	35.0	13.0	17.0


Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants



Technical Diagram:



Technical Data:


S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
09	UP-CL16-6	1 Bag (100 Pcs)	5.8	32.0	6.5	12.5
10	UP-CL16-8	1 Bag (100 Pcs)	5.8	32.0	8.5	12.5
11	UP-CL16-10	1 Bag (100 Pcs)	6.1	38.5	10.5	15.0
12	UP-CL16-12	1 Bag (100 Pcs)	6.1	38.5	13.0	17.0
13	UP-CL25-6	1 Bag (100 Pcs)	7.4	38.0	6.5	15.0
14	UP-CL25-8	1 Bag (100 Pcs)	7.4	38.0	8.5	15.0
15	UP-CL25-10	1 Bag (100 Pcs)	7.4	45.5	10.5	15.0
16	UP-CL25-12	1 Bag (100 Pcs)	7.4	45.5	13.0	16.5
17	UP-CL25-14	1 Bag	8.1	51.0	15.0	19.0

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants

Technical Diagram:



Technical Data:

S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
18	UP-CL35-6	1 Bag (100 Pcs)	9.1	42.0	6.5	17.5
19	UP-CL35-8	1 Bag (100 Pcs)	9.1	42.0	8.5	17.5
20	UP-CL35-10	1 Bag (50 Pcs)	9.1	42.0	10.5	17.5
21	UP-CL35-12	1 Bag (100 Pcs)	9.1	42.0	13.0	18.0
22	UP-CL35-14	1 Bag (50 Pcs)	8.5	52.0	15.0	21.0
23	UP-CL35-16	1 Bag (50 Pcs)	8.5	59.0	18.0	25.0


Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants



Technical Diagram:



Technical Data:

S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
24	UP-CL50-6	1 Bag (50 Pcs)	9.8	48.5	6.5	18.0
25	UP-CL50-8	1 Bag (50 Pcs)	9.8	48.5	8.5	18.0
26	UP-CL50-10	1 Bag (100 Pcs)	10.0	47.0	10.5	20.0
27	UP-CL50-12	1 Bag (50 Pcs)	10.0	57.0	13.0	19.0
28	UP-CL50-14	1 Bag (100 Pcs)	11.7	57.0	15.0	22.0
29	UP-CL50-16	1 Bag (50 Pcs)	11.7	57.0	17.0	22.0


Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants



Technical Diagram:



Technical Data:


S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
30	UP-CL70-8	1 Bag (50 Pcs)	11.7	53.0	8.5	22.0
31	UP-CL70-10	1 Bag (50 Pcs)	11.7	53.0	10.5	22.0
32	UP-CL70-12	1 Bag (50 Pcs)	11.7	53.0	13.0	22.0
33	UP-CL70-14	1 Bag (50 Pcs)	11.7	64.5	15.0	22.0
34	UP-CL70-16	1 Bag (50 Pcs)	11.7	64.5	17.0	22.0
35	UP-CL70-20	1 Bag (50 Pcs)	11.7	64.5	21.0	26.0

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants

Technical Diagram:



Technical Data:

S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
36	UP-CL95-8	1 Bag (50 Pcs)	14.2	60.0	8.5	26.0
37	UP-CL95-10	1 Bag (30 Pcs)	14.2	60.0	10.5	26.0
38	UP-CL95-12	1 Bag (50 Pcs)	14.2	60.0	13.0	26.0
39	UP-CL95-14	1 Bag (30 Pcs)	14.2	60.0	15.0	26.0
40	UP-CL95-16	1 Bag (30 Pcs)	14.2	60.0	17.0	26.0


Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants



Technical Diagram:



Technical Data:


S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
41	UP-CL120-8	1 Bag (25 Pcs)	16.3	65.0	8.5	30.0
42	UP-CL120-10	1 Bag (25 Pcs)	16.3	65.0	10.5	30.0
43	UP-CL120-12	1 Bag (25 Pcs)	16.3	65.0	13.0	30.0
44	UP-CL120-14	1 Bag (25 Pcs)	16.3	65.0	15.0	30.0
45	UP-CL120-16	1 Bag (25 Pcs)	16.3	65.0	17.0	31.0
46	UP-CL150-10	1 Bag (20 Pcs)	17.2	73.0	10.5	31.0
47	UP-CL150-12	1 Bag (25 Pcs)	17.2	73.0	13.0	32.0
48	UP-CL150-14	1 Bag (20 Pcs)	17.2	73.0	15.0	36.0

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants

Technical Diagram:



Technical Data:


S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
49	UP-CL185-10	1 Bag (5 Pcs)	20.0	83.0	10.5	36.0
50	UP-CL185-12	1 Bag (10 Pcs)	20.0	83.0	13.0	36.0
51	UP-CL185-14	1 Bag (5 Pcs)	20.0	83.0	15.0	36.0
52	UP-CL185-16	1 Bag (10 Pcs)	20.0	83.0	17.0	36.0
53	UP-CL185-20	1 Bag (10 Pcs)	20.0	83.0	21.0	36.0

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants

Technical Diagram:



Technical Data:


S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
54	UP-CL240-10	1 Bag (5 Pcs)	21.8	94.0	10.5	39.0
55	UP-CL240-12	1 Bag (10 Pcs)	21.8	94.0	13.0	39.0
56	UP-CL240-14	1 Bag (5 Pcs)	21.8	94.0	15.0	39.0
57	UP-CL240-16	1 Bag (5 Pcs)	21.8	94.0	17.0	39.0
58	UP-CL240-20	1 Bag (5 Pcs)	21.8	94.0	21.0	39.0

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants

Technical Diagram:



Technical Data:


S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
59	UP-CL300-10	1 Bag (5 Pcs)	25.2	110.0	10.5	45.0
60	UP-CL300-12	1 Bag (5 Pcs)	25.2	110.0	13.0	45.0
61	UP-CL300-14	1 Bag (5 Pcs)	25.2	110.0	15.0	45.0
62	UP-CL300-16	1 Bag (5 Pcs)	25.2	110.0	17.0	45.0
63	UP-CL300-20	1 Bag (5 Pcs)	25.2	110.0	20.0	45.0

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants

Technical Diagram:



Technical Data:


S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
64	UP-CL400-12	1 Bag (5 Pcs)	29.2	110.0	13.0	51.5
65	UP-CL400-14	1 Bag (5 Pcs)	29.2	110.0	15.0	51.5
66	UP-CL400-16	1 Bag (5 Pcs)	29.2	110.0	17.0	51.5
67	UP-CL400-20	1 Bag (5 Pcs)	29.2	110.0	21.0	51.5

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Available Size Variants

Technical Diagram:



Technical Data:

S. No.	Model No. / Item Code	Sale Unit	Technical Dimensions			
			A	B	C	D
68	UP-CL500-14	1 Bag (4 Pcs)	31.2	145.0	15.0	56.0
69	UP-CL500-16	1 Bag (2 Pcs)	31.2	145.0	17.0	56.0
70	UP-CL500-20	1 Bag (2 Pcs)	31.2	145.0	21.0	56.0
71	UP-CL630-16	1 Bag (2 Pcs)	35.2	145.0	17.0	62.0
72	UP-CL630-20	1 Bag (2 Pcs)	35.2	145.0	21.0	62.0

Dimensions are in millimeters (mm)

UNITED POWER – 1 HOLE NORMAL CABLE LUG

Heavy Duty Tinned Copper Lugs for Secure Cable Termination

Wide Range:

Available from 1.5 sq.mm
to 1000 sq.mm.

Features:

High Conductivity:

Made from high-purity
wrought copper.

Corrosion-Resistant:

Electro-tin plated for
improved conductivity.

Smooth Installation:

Chamfered barrel for
easy cable entry.

Moisture Protection:

Closed-end prevents
moisture ingress.

